

## CHERRY MX Board 3.0



Models may vary from the image shown

### Professional keyboard for fast and precise input

The CHERRY MX BOARD 3.0 captivates with its world-exclusive use of Gold Crosspoint contacts in the MX key switches, ensuring perfect and extremely fast keystrokes. This professional, maximum-precision keyboard is even sturdier and more robust than its predecessor, making it the perfect partner for every type of exacting input imaginable.

### Key benefits

- Proved itself billions of times: Original CHERRY MX key switches "Made in Germany"
- World exclusive CHERRY Gold Crosspoint technology
- Different key switches available
- 50 million+ operations for each key
- N-key rollover: Simultaneous operations of up to 14 keys without any key ghosting effects
- Win-Key lock: Windows buttons can be disabled
- The integrated metal plate and anti-slip protection ensure it remains robust

### Technical Data:

#### Layout (country or language):

Product dependant, see table "Models"

#### Housing colour:

Product dependant, see table "Models"

#### Key colour:

Product dependant, see table "Models"

#### Weight (product):

approx. 830 g

#### Total weight (with packaging):

approx. 1215 g

#### Cable Length:

approx. 1.80 m

#### Storage Temperature:

-20°C to 60°C

#### Operating Temperature:

0°C to 50°C

#### Current Consumption:

max. 30 mA

#### Interface:

- USB

#### Product approvals:

Product dependant, see table "Models"

#### System requirements:

- USB connection

#### Delivery Volume:

- CHERRY MX Board 3.0
- Operating instructions in hard copy
- 2 non-slip surfaces
- 2 rubber caps for adjustable feet

#### Dimensions (product):

approx. 446 x 158 x 28 mm

#### Packaging dimensions:

approx. 468 x 202 x 35 mm

#### Keyboard:

- Key technology: MX
- Service life, standard key: > 50 million key operations
- Operation characteristics: Product dependant, see table "Models"
- Inscription technology: Laser
- Inscription layout: Standard
- Number of Keys: Product dependant, see table "Models"
- Number of additional keys: 4

#### Packaging Unit:

- Number of products in the master package: 8
- Number of master packages per pallet: 20

#### Warranty:

2 years

Errors, technical changes and delivery possibilities excepted. Technical information refers only to the specifications of the products. Features may differ from the information provided.

## Models:

(possible country/layout versions, others available on request)


	Product name	Order number	EAN code	Layout (country or language)	Housing colour	Key colour	Product approvals	Operation characteristics <sup>1</sup>	Number of Keys
1	CHERRY MX Board 3.0	G80-3850LSAEU-0 (China Market)	4025112086250	US English with EURO symbol	pale grey	pale grey	cURus, c-tick, VCCI, CE, FCC, BSMI	BLUE SWITCH Click pressure point (60cN)	104+4
2	CHERRY MX Board 3.0	G80-3850LSAEU-2 (China Market)	4025112079696	US English with EURO symbol	black	black	cURus, c-tick, VCCI, CE, FCC, BSMI	BLUE SWITCH Click pressure point (60cN)	104+4
3	CHERRY MX Board 3.0	G80-3850LSDDE-2	4025112087301	Germany	black	black	cURus, c-tick, VCCI, CE, FCC, BSMI	BLUE SWITCH Click pressure point (60cN)	105+4
4	CHERRY MX Board 3.0	G80-3850LSDEU-2	4025112087875	US English with EURO symbol	black	black	cURus, c-tick, VCCI, CE, FCC, BSMI	BLUE SWITCH Click pressure point (60cN)	104+4
5	CHERRY MX Board 3.0	G80-3850LSDKR-2	4025112087219	English (US) / Korean	black	black	cURus, c-tick, VCCI, CE, FCC, BSMI, KCC	BLUE SWITCH Click pressure point (60cN)	104+4
6	CHERRY MX Board 3.0	G80-3850LUAEU-0 (China Market)	4025112086243	US English with EURO symbol	pale grey	pale grey	cURus, c-tick, VCCI, CE, FCC, BSMI	BLACK SWITCH Linear (60 cN)	104+4
7	CHERRY MX Board 3.0	G80-3850LUAEU-2 (China Market)	4025112079641	US English with EURO symbol	black	black	cURus, c-tick, VCCI, CE, FCC, BSMI	BLACK SWITCH Linear (60 cN)	104+4
8	CHERRY MX Board 3.0	G80-3850LXAEU-0 (China Market)	4025112086267	US English with EURO symbol	pale grey	pale grey	cURus, c-tick, VCCI, CE, FCC, BSMI	BROWN SWITCH Pressure point (55cN)	104+4

Product name	Order number	EAN code	Layout (country or language)	Housing colour	Key colour	Product approvals	Operation characteristics <sup>1</sup>	Number of Keys
9 CHERRY MX Board 3.0	G80-3850LXAEU-2 (China Market)	4025112079818	US English with EURO symbol	black	black	cURus, c-tick, VCCI, CE, FCC, BSMI	BROWN SWITCH Pressure point (55cN)	104+4
10 CHERRY MX Board 3.0	G80-3850LXDDE-2	4025112086960	Germany	black	black	cURus, c-tick, VCCI, CE, FCC, BSMI	BROWN SWITCH Pressure point (55cN)	105+4
11 CHERRY MX Board 3.0	G80-3850LXDEU-2	4025112087691	US English with EURO symbol	black	black	cURus, c-tick, VCCI, CE, FCC, BSMI	BROWN SWITCH Pressure point (55cN)	104+4
12 CHERRY MX Board 3.0	G80-3850LXDFR-2	4025112087295	France	black	black	cURus, c-tick, VCCI, CE, FCC, BSMI	BROWN SWITCH Pressure point (55cN)	105+4
13 CHERRY MX Board 3.0	G80-3850LXDGB-2	4025112087684	UK	black	black	cURus, c-tick, VCCI, CE, FCC, BSMI	BROWN SWITCH Pressure point (55cN)	105+4
14 CHERRY MX Board 3.0	G80-3850LXDKR-2	4025112087288	English (US) / Korean	black	black	cURus, c-tick, VCCI, CE, FCC, BSMI, KCC	BROWN SWITCH Pressure point (55cN)	104+4
15 CHERRY MX Board 3.0	G80-3850LYAEU-0 (China Market)	4025112086274	US English with EURO symbol	pale grey	pale grey	cURus, c-tick, VCCI, CE, FCC, BSMI	RED SWITCH Linear (45 cN)	104+4
16 CHERRY MX Board 3.0	G80-3850LYAEU-2 (China Market)	4025112079658	US English with EURO symbol	black	black	cURus, c-tick, VCCI, CE, FCC, BSMI	RED SWITCH Linear (45 cN)	104+4
17 CHERRY MX Board 3.0	G80-3850LYDEU-2	4025112087233	US English with EURO symbol	black	black	cURus, c-tick, VCCI, CE, FCC, BSMI	RED SWITCH Linear (45 cN)	104+4


Product name	Order number	EAN code	Layout (country or language)	Housing colour	Key colour	Product approvals	Operation characteristics <sup>1</sup>	Number of Keys
18 CHERRY MX Board 3.0	G80-3850LYDFR-2	4025112087226	France	black	black	cURus, c-tick, VCCI, CE, FCC, BSMI	RED SWITCH Linear (45 cN)	105+4
19 CHERRY MX Board 3.0	G80-3850LYDGB-2	4025112087189	UK	black	black	cURus, c-tick, VCCI, CE, FCC, BSMI	RED SWITCH Linear (45 cN)	105+4
20 CHERRY MX Board 3.0	G80-3850LYKR-2	4025112087707	English (US) / Korean	black	black	cURus, c-tick, VCCI, CE, FCC, BSMI, KCC	RED SWITCH Linear (45 cN)	104+4

## 1 Operation characteristics:


### • BLACK SWITCH Linear (60 cN)



### • BLUE SWITCH Click pressure point (60cN)



### • RED SWITCH Linear (45 cN)



### • BROWN SWITCH Pressure point (55cN)

